

Deep Tillage

Conservation Practice Jobsheet

Natural Resources Conservation Service

ID-324, JS-21

March 2009

Client:



Photo courtesy of NRCS

Definition

Performing tillage operations below the normal tillage depth to modify the physical or chemical properties of a soil.

Purposes

Deep tillage can be designed to accomplish one or more of the following conservation purposes:

- Fracture restrictive soil layers.
- Bury or mix soil deposits from wind or water erosion or flood over wash.
- Reduce concentration of soil contaminants, which inhibit plant growth.

Where used

This practice applies to land having adverse soil conditions which inhibit plant growth, such as

- compacted layers formed by field operations,
- restrictive layers such as cemented hardpans, over wash or deposits from wind and water erosion or flooding
- contaminants in the root zone.

This standard includes tillage operations commonly referred to as deep plowing, subsoiling, ripping, or row-till, performed from time to time below the normal tillage depth.

Resource Management System

Deep tillage is normally used concurrently with other conservation practices as part of a resource management system. These practices may include conservation crop rotation, residue management, nutrient and pest management and pasture and hay land planting..

Specifications

Site-specific requirements for deep tillage are listed on the 324 Specification Sheet. Specifications are prepared in accordance with the NRCS Field Office Technical Guide and are designed to meet the resource needs and the producer's objectives.

Operation and maintenance

Deep tillage for reduction of soil compaction shall be performed whenever compaction reoccurs. When deep tillage has been performed to reduce the concentration of soil contaminates, the contaminate levels in the root zone shall be monitored to assist with determining when or if treatment will be reapplied.

324-Specification Natural Resources Conservation Service

March 2009

DEEP TILLAGE SPECIFICATION SHEET

| Client: | Date: | | | |
|--|------------|--------------------------|------------------------|--|
| | | | | |
| Purpose (check all that apply) | | | | |
| ☐ To fracture restrictive la | yers | ☐ To reduce concentarion | n of soil contaminants | |
| ☐ To bury or mix soil deposits from wind; water or | | Other, describe: | | |
| flood overwash | | | | |
| Cita Information | | | | |
| Site Information | | | | |
| | Fields: | Fields: | Fields: | |
| Measured Acres: | | | | |
| Soil Texture: Map Unit Slope (%): | | | | |
| Soil Moisture (% field | | | | |
| capacity) | | | | |
| Depth/Restrictive Layer: | | | | |
| Depth of Soil Deposit | | | | |
| Contaminant (ID & Unit) | | | | |
| | _ | | <u> </u> | |
| | Tillage li | nformation | | |
| | | | E' 112 | |
| Equipment to be Used. | Field 1 | Field 2 | Field 3 | |
| Equipment to be Used: Depth of Tillage: | | | | |
| Chisel Point Spacing (in) | | | | |
| Date of Tillage: | | | | |
| | | | | |
| Site Preparation and Additional Installation Information | | | | |
| Additional requirements: | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Natural Resources Conservation Service

DEEP TILLAGE SPECIFICATION SHEET

| Cooperator Acceptance | e: I agree to install and maintain this practice as specified above. | Date: |
|-----------------------|--|-------|
| | | |
| NRCS Certification: T | his practice, as installed, meets NRCS standards and specifications. | Date: |